

MONASH BUSINESS SCHOOL

ETC3550/ETC5550 Applied forecasting

Week 2: Time series graphics

af.numbat.space



CASE STUDY 1: Paperware company

Problem: Want forecasts of each of hundreds of items. Series can be stationary, trended or seasonal. They currently have a large forecasting program written in-house but it doesn't seem to produce sensible forecasts. They want me to fix it.

Additional information

- Program written in COBOL making numerical calculations limited. It is not possible to do any optimisation.
- Their programmer has little experience in numerical computing.
- They employ no statisticians and want the program to produce forecasts automatically.



CASE STUDY 1: Paperware company

Methods currently used

- A 12 month average
- **C** 6 month average
- **E** straight line regression over last 12 months
- **G** straight line regression over last 6 months
- H average slope between last year's and this year's values. (Equivalent to differencing at lag 12 and taking mean.)
 - I Same as H except over 6 months.
- K I couldn't understand the explanation.



The Pharmaceutical Benefits Scheme (PBS) is the Australian government drugs subsidy scheme.

- Many drugs bought from pharmacies are subsidised to allow more equitable access to modern drugs.
- The cost to government is determined by the number and types of drugs purchased. Currently nearly 1% of GDP.
- The total cost is budgeted based on forecasts of drug usage.



- In 2001: \$4.5 billion budget, under-forecasted by \$800 million.
- Thousands of products. Seasonal demand.
- Subject to covert marketing, volatile products, uncontrollable expenditure.
- Although monthly data available for 10 years, data are aggregated to annual values, and only the first three years are used in estimating the forecasts.
- All forecasts being done with the FORECAST function in MS-Excel!

CASE STUDY 3: Car fleet company

Client: One of Australia's largest car fleet companies

Problem: how to forecast resale value of vehicles? How should this affect leasing and sales policies?

CASE STUDY 3: Car fleet company


Client: One of Australia's largest car fleet companies


Problem: how to forecast resale value of vehicles? How should this affect leasing and sales policies?

Additional information

- They can provide a large amount of data on previous vehicles and their eventual resale values.
- The resale values are currently estimated by a group of specialists. They see me as a threat and do not cooperate.







Problem: how to forecast passenger traffic on major routes?

Additional information

- They can provide a large amount of data on previous routes.
- Traffic is affected by school holidays, special events such as the Grand Prix, advertising campaigns, competition behaviour, etc.
- They have a highly capable team of people who are able to do most of the computing.

Your turn

We have introduced various functions for time series graphics include <code>autoplot()</code>, <code>gg_season()</code>, <code>gg_subseries()</code>, <code>gg_lag()</code> and <code>ACF</code>. Use these functions to explore the quarterly tourism data for the Snowy Mountains.

```
snowy <- tourism |> filter(Region == "Snowy Mountains")
```

What do you learn?

Seasonal or cyclic?

Differences between seasonal and cyclic patterns:

- seasonal pattern constant length; cyclic pattern variable length
- average length of cycle longer than length of seasonal pattern
- magnitude of cycle more variable than magnitude of seasonal pattern

Seasonal or cyclic?

Differences between seasonal and cyclic patterns:

- seasonal pattern constant length; cyclic pattern variable length
- average length of cycle longer than length of seasonal pattern
- magnitude of cycle more variable than magnitude of seasonal pattern

The timing of peaks and troughs is predictable with seasonal data, but unpredictable in the long term with cyclic data.

Trend and seasonality in ACF plots

- When data have a trend, the autocorrelations for small lags tend to be large and positive.
- When data are seasonal, the autocorrelations will be larger at the seasonal lags (i.e., at multiples of the seasonal frequency)
- When data are trended and seasonal, you see a combination of these effects.

Which is which?

